St. Patrick's NS, Crowenstown

Updated Risk Assessments to minimise the risk of being exposed to Covid-19

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in St. Patrick's National School to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Patrick's N.S. in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A **risk** is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

| Severity Rating | Interpretation | Numerical Value |
|-----------------|--|--------------------|
| Fatality or | Single or multiple fatalities, widespread illness, large scale property or equipment | 5 |
| Catastrophic | damage | |
| Major | Serious injury or illness, significant property or equipment damage | 4 |
| Moderate | Injury and damage to property | 3 |
| Minor | Minor injury or illness, minor property or equipment damage | 2 |
| Trivial | No significant injury or illness, no significant property or equipment damage | 1 |

Probability/Likelihood

| Probability Rating | Interpretation | Numerical Value |
|-----------------------|---|--------------------|
| Inevitable | Likely to occur either immediately or in the short term | 5 |
| Very Likely | Could occur in time or if repeated enough | 4 |
| Likely | Likely to occur | 3 |
| Unlikely | Though unlikely, may occur over time | 2 |
| Rare | Unlikely to occur at all | 1 |

Risk Rating

| Numerical Value Severity x Probability | Descriptive risk rating | Interpretation |
|--|--|--|
| 16 – 25 | Emergency – Extremely serious | Risks are unacceptable and immediate action required justifying special |
| | If an incident were to occur, it would be likely | maintenance. Activity should be halted and stopped until the hazard is |
| | that a permanent, debilitating injury or | eliminated or appropriate risk controls are put in place. |
| | death would result | |
| 11 – 15 | Severe and Serious | Activity can proceed but substantial efforts should be made to reduce the |
| | If an incident were to occur, it would be likely | risk. Risk reduction measures should be implemented urgently within a |
| | that an injury requiring medical treatment | defined time period and it might be necessary to consider suspending or |
| | would result. | restricting the |
| | | activity or to apply interim control measures until this has been completed. |
| 6 – 10 | Medium | Activity can proceed but consideration should be given as to whether the |
| | If an incident were to occur, there would | risks can be lowered. Control measures must be monitored and reviewed |
| | be some chance that an injury requiring | as required to ensure they remain suitable and sufficient. |
| | First Aid treatment would result | |

| | Trivial or Negligible If an incident were to occur, there would be little likelihood that an injury would result | No additional controls are necessary as these risks are considered acceptable. Activity should be regularly reviewed to ensure there is no change to the risk rating and that controls are maintained. |
|--|--|--|
|--|--|--|

| Who may be affected? | Identified Risks | Risk Con | Risk Rating with controls | Action implementation | |
|--|--|--|--|--------------------------|--|
| Staff Risk Level Calcula | most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | mitigation of Covid-19 following highlight the measures necession opening and modifying the work. The staff representative(s) implementing the action plan school and all staff will be specific risk communication at the Board of Management work. ✓ Ensure that all staff recession of Provide posters & inform pupils of Promote safe individual of Engage with staff in provide regular information at the provide regular information of Emphasise the effectives. | will develop a response plan for the prevention and any a risk assessment of the school facility. This plan will essary to protect the health and safety of staff in repork arrangements within the school. will be properly consulted when developing and for the prevention and mitigation of Covid-19 within the informed about the measures being introduced, using and staff engagement approaches. Ill: ive necessary training prior to returning to work action to increase awareness of Covid-19 among staff and practices within the school campus iding feedback on the preventive measures and their on about the risk of Covid-19 using official sources, ancies (HSE, HSA, etc.) and the World Health these of adopting protective measures especially good de specific training in the proper use of PPE for staff, | Negligible | Board of Management Principal Staff |
| (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (| /injury 1=trivial, 2=slight, 3=movent 1=rare, 2=unlikely, 3=like | derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable | 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action a 25 Emergency risk Halt activity and review immediately | nd control 16- | |
| Assessment Date | : August, 2020 | | Assessor's Name: _Neasa Ní Mhairtín, (LWR), Jane Browne (Princip | al) | |

| Who may be affected? | Identified Risks | Hygiene | Risk Rating with controls | Action implementation |
|--|--|---|---------------------------|--|
| | | Controls | With Controls | |
| All staff Pupils Visitors Contractors Public | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • Afever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | The BoM will ensure that all staff can wash their hands regularly. Hot water and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available throughout the school. Staff should: Wash their hands properly and often. Hands should be washed: After coughing or sneezing Before and after eating or preparing food Before and after using protective gloves Before and after being on public transport When arriving and leaving the school campus After toilet use Cover their mouth and nose with a tissue or their sleeve when coughing and sneezing. Put used tissues into a bin and wash their hands Develop a routine of increased cleaning and disinfecting of frequently touched objects and surfaces The BoM will supply required cleaning products, will ensure the correct use and storage of disinfectants and will ensure all products are stored safely and securely. Employees should not attend work if they display any of the symptoms below: - Fever (temperature of 37.5 degrees or above) Cough Shortness of breath Breathing difficulties Any Staff Member displaying symptoms must self-isolate and contact their GP immediately. Any staff member living with someone who is self-isolating or waiting for a Covid-19 test must restrict their movements. Any Staff Member who has tested positive for Covid-19 must not return to work until deemed fit to do so and upon approval of their medical advisor. Staff can follow https://www2.hse.ie/ for regular updates or can contact HSELive for advice 1850 241850 | Requires monitoring | Board of Management Principal Staff Visitors |

| Who may be affected? | Identified Risks | Hygiene F Controls | | Action implementation |
|---|--|---|----|--|
| All staff Pupils Visitors Contractors Public | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | The Board of Management will ensure that: Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds). Necessary PPE is available to staff Standard cleaning and maintenance regimes are put in place and detailed records retained. Toilet facilities are cleaned regularly Equipment sharing is minimised. Staff are encouraged not to share equipment There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people Covid compliant work areas to be available where social distancing guidelines can be applied There is social distancing in staffroom or other communal facilities Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow All waste collection points are emptied at the end of each day. Staff use gloves when removing rubbish bags or handling and disposing of any Rubbish and they wash hands with soap and water for at least 20 seconds afterwards | | Board of Management Principal Staff Visitors |
| Risk Level Calcul (a) Severity of risk (b) Likelihood of e (c) Risk Rating = ((b) Assessment Date | ation /injury 1=trivial, 2=slight, 3=moderate vent 5=fatality 1=rare, 2=unlikely, 3 a) X likely, 5=inevitable | | eW | |

| Who may be affected? | Identified Risks | | Distancing ntrols | Risk Rating with controls | Action implementation |
|---|---|---|---|---------------------------------|---|
| Pupils Visitors Contractors Public | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | as entrances/exits, kitchen areas, where visitors might occur ✓ Entry/Exit times; school gate will be operated of classrooms. Junior room will leave at 2.5 School supervision procedures must be school facility (buildings and grounds) ✓ Appropriate social distancing arrangeme of Meetings of staff will take place with social transportance of the school facility (buildings and grounds) ✓ Appropriate social distancing arrangeme of Meetings of staff will take place with social transportance of the school facility (buildings and grounds) ✓ Requirements for personnel working within 2 representations as far as possible Requirements for personnel working within 2 representations of the suspended): ✓ No worker has symptoms of Covid-19 ✓ The close contact work cannot be avoided. | re that: cial distancing rules in relation to the school tly) for work stations and common spaces, such congregation or queuing of staff, or students of cened at 9.15am and children will filter into their form and Senior Room at 3.00pm. Strictly adhered to cealth guidelines will be displayed throughout this will be in place throughout the facility all distancing guidelines. In goolicy in place within the school avoid direct physical contact with any other are that: The school strictly adhered to the school strictly and the school the school school strictly and the school the school | Requires monitoring | Board of Management Principal Staff Visitor |
| Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) | 1=rare, 2=unlikely, 3=likely, | | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further a control 16-25 Emergency risk Halt activity and rev immediately | | |
| Assessment Date: Augu | ust, 2020 | | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jar | ne Browne (Princ | pal) |

| Who may be affected? | Identified Risks | Cleaning Controls Risk Rating with controls | Action implementation |
|---|---|--|--|
| Staff especially cleaning staff | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: Afever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | be given Checklist to keep a record of Cleaning tasks. ✓ Sufficient cleaning materials and PPE will be available to allow for increased cleaning ✓ Cleaner will be instructed to wear gloves when cleaning and is aware of the need to wash her hands thoroughly with soap and water, both before and after wearing gloves | Board of Management Principal Staff |
| Risk Level Calcul (a) Severity of risk (b) Likelihood of e (c) Risk Rating = | k/injury 1=trivial, 2=slight, 3=n event 1=rare, 2=unlikely, 3=l | Risk Level Action 1-5 Trivial risk Acceptable ikely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately | |
| Assessment Date St. Patri | <u>e</u> : August, 2020 <mark>ck's NS, Crowenstown, 202</mark> | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jane Browne (Princip | pal) 10 |

| Who may be affected? | Identified Risks | Office and | Risk Rating with | Action implementation | |
|--|---|--|--|------------------------|---|
| Staff | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | distancing between staffThe number of employees p | to facilitate the maintenance of physical permitted to work in an office at any particular a necessary control measure to protect | Requires monitoring | Board of Management Principal Administration staff |
| Risk Level Calcul (a) Severity of risk (b) Likelihood of e (c) Risk Rating = | vinjury 1=trivial, 2=slight, 3=moderat event 1=rare, 2=unlikely, 3=likely, 4 | | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furt control 16-25 Emergency risk Halt activity ar immediately | | |
| Assessment Date | e: August, 2020 | | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jan | e Browne (Princi | pal) |

| Who may be affected? | Identified Risks | Use of PPE Controls | Risk Rating with controls | Action implementation |
|---|--|--|---------------------------------|--|
| Staff | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: | The correct use of Personal Protective Equipment (PPE) such as face shields/visors or clear plastic barriers or Perspex screens etc. may be required in some circumstances to address identified risks of spread of the virus. Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE will not be required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face-masks-disposable-gloves.html Face masks will be provided to all staff and are available for optional use. Gloves are not required generally within the workplace for infection prevention and control purposes according to current guidance. Due to the risks associated with the usage of gloves, the Board of Management will not be providing gloves to staff for general use. *Face coverings are not recommended to be worn by children under 13 years. | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calcu (a) Severity of risl (b) Likelihood of 6 (c) Risk Rating = | k/injury 1=trivial, 2=slight, 3=revent 1=rare, 2=unlikely, 3= | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further accontrol 16-25 Emergency risk Halt activity and revision immediately | | |
| Assessment Date | <u>e</u> : August, 2020 | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jane Brow | ne (Principal) | |

| Who may be affected? | Identified Risks | Using ha | nd tools or equipment Controls | Risk Rating with controls | Action implementation |
|--|---|--|---|---------------------------------|--|
| All staff | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | are undertaking ✓ All tools and equipmen contamination ✓ Arrangements should b tool, equipment and material will b with disinfectant between | ncluding lawnmowers) must be thoroughly | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calcula | | | Risk Level Action | 1 | |
| (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (| vent 1=rare, 2=unlikely, 3=likely, 4=v | | 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe control 16-25 Emergency risk Halt activity and | | ately |
| Assessment Date | : August 2020 | | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jar | e Browne (Princi | pal) |

| Who may be affected? | Identified Risks | Dealing with a suspected case of Covid-19 Controls | Risk Rating with controls | Action implementation |
|------------------------------------|--|---|------------------------------|--|
| Staff Pupils Visitor s Contractors | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | designated area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres | Requires monitoring | Board of Management Principal Staff |

| Who may be affected? | Identified Risks | | uspected case of Covid-19 (continued) Controls | Risk Rating with controls | Action implementation |
|---|------------------|--|--|---------------------------------|--|
| Staff Pupils Visitor Contractors | | a family member, as soon as practitioner by phone of their syrused ✓ If they are too unwell to go home them that the sick person is a Co ✓ Carry out an assessment of the follow-up actions and recovery | e incident which will form part of determining | | Board of Management Principal Staff |
| Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) Risk Level Calculation 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b) | | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately | | | |
| Assessment Date: A | August, 2020 | | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jane Browne (Principal) | | |

| Who may be affected? | Identified Risks | Co | vid-19 cleaning Controls | Risk Rating with controls | Action implementation |
|--|--|---|---|---------------------------|---|
| Staff Pupils Visitor | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: | ✓ It is recommended cleaning suspected coronavirus (Covor of passing the infection on to For cleaning purposes, weat These should be double-bat put with the regular rubbish at Using a disposable cloth, first Then disinfect these surface Pay particular attention to free toilets, banisters on stairwells of If an area has been heavily from a person with coronaving eyes, mouth and nose, as wellow Wash hands regularly with surfaces, aprons and other propublic areas where a symptominimal time, such as corridated at All surfaces that the sympto | ar a face mask, disposable or washing up gloves. gged, then stored securely for 72 hours and then after cleaning is finished should be double-bagged. Set clean hard surfaces with warm soapy water. So with the cleaning products you normally use. Equently touched areas and surfaces, such as so and door handles contaminated, such as with visible bodily fluids, rus (Covid-19) consider using protection for the sell as wearing gloves and apron to a water for 20 seconds and after removing contaminated with sell as passed through and spent fors, but which are not visibly contaminated with | Requires monitoring | Board of Management Principal Cleaning staff |
| Risk Level Calcula (a) Severity of risk. (b) Likelihood of ev (c) Risk Rating = (a) | /injury 1=trivial, 2=slight, 3=mo vent 1=rare, 2=unlikely, 3=like | derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further a 16-25 Emergency risk Halt activity and review. im | | |
| Assessment Date | : August, 2020 | | Assessor's Neasa Ní Mhairtín, (LWR), Jane Browne (| Principal) | |

| Who may be Identified Risks affected? | Cleaning a space with a suspected/confirmed case of Covid-19 Controls | Risk Rating with controls | Action implementation |
|--|---|---------------------------------|---|
| they catch the coronavirus ar 60 years of age and over have long-term medic conditions – i.e. heart disease | Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sanitary fittings, using an approved and recognised detergent and disinfectant in line with the manufacturer's instructions for dilution, application and contact time Disinfectants used should be effective against viruses. Additionally: Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and should be put into waste bags as outlined below. | | Board of Management Principal Cleaning staff |

| Who may be affected? | Identified Risks | of Covi | a suspected/confirmed case d-19 (continued) | Risk Rating with controls | Action implementation |
|----------------------------|--|---|--|---------------------------------|---|
| Staff Pupils Visitor | | ✓ The plastic bag should then by It should be put in a suitable until the individual's test resulted ✓ All waste should be stored say not put waste in communal known or the waste has been the individual tests negative | Ifely and kept away from children. You should waste areas until negative test results are | Requires monitoring | Board of Management Principal Cleaning staff |
| (b) Likelihood of event | (a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality | | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately | | |
| Assessment Date: Augi | ust, 2020 | | Assessor's Name: Neasa Ní Mhairtín, (LWR), Jar | ne Browne (Princ | ipal) |

| Who may be affected? | Identified Risks | Tra | vel to and from work | Risk Rating with | Action implementation |
|---|---|---|---|---------------------|-----------------------|
| Staff | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | wherever possible, staf means of transport – st If availing of public tran- frequently touched surfa | exhibits any signs of Covid-19 or has been a case they should not travel to work. If should travel to work alone using their own aff should not share transport to or from work. Is sport, sit down to minimise contact with aces, handles,roofstraps,isolation bars, etc. carry hand santiser (at least 60% alcohol) and use | Requires monitoring | All staff |
| Risk Level Calcu (a) Severity of risl (b) Likelihood of 6 (c) Risk Rating = | k/injury 1=trivial, 2=slight, 3=moderate, 4=mevent 1=rare, 2=unlikely, 3=likely, 4=very (a) X (b) | | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review im Assessor's Name: Neasa Ní Mhairtín, (LWR), Jane | mediately | |

| Who may be affected? | Identified Risks | Dropping | off and picking up of pupils Controls | Risk Rating with controls | Action implementation |
|---|---|--|--|---------------------------------|--|
| | risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer | will be organised to maintain, a distance between drivers/pare Entry/Exit times; school gate vinto their classrooms. Junior r 3.00pm. Parents/guardians will be enco | Arrangements for dropping off and picking up pupils from the school facility will be organised to maintain, as far as is reasonably practicable, a safe social listance between drivers/parents/guardians and all school staff. Intry/Exit times; school gate will be opened at 9.15am and children will filter to their classrooms. Junior room will leave at 2.55pm and Senior Room at 00pm. arents/guardians will be encouraged to wait in the car outside of the school and to move on once their child is dropped or collected. | | Board of Management Principal Staff Bus and taxi drivers |
| Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) Assessment Date: August, 2020 | | | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in Assessor's Name: Neasa Ní Mhairtín, (LWR), Jane E | mmediately | |

| Who may be affected? | Identified Risks | Visitors to school Controls | Risk Rating with controls | Action implementation |
|---|---|--|---------------------------------|-------------------------------------|
| Staff Pupil s Wider Community | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | The Board of Management will ensure the safety and wellbeing of all visitors to the school premises. Visits to the school will be severely restricted and visitors will be asked to: Make a prior appointment before visiting the school Remain at home if they have any Covid-19 symptoms Follow the agreed Covid-19 protocols for the school Sanitise before entering the premises Attendance to be recorded on Contact Tracing Log on entry to building Wear PPE if instructed Adhere to social distancing requirements Not to loiter – complete their business and leave premises | Requires monitoring | Board of Management Principal |
| Risk Level Calcu (a) Severity of ris (b) Likelihood of 6 (c) Risk Rating = Assessment Date | k/injury 1=trivial, 2=slight, 3=moderate, 4=ma event 1=rare, 2=unlikely, 3=likely, 4=very lik (a) X (b) | | mediately | |

| Who may be affected? | Identified Risks | Management of deliveries and supplies to school Controls | Risk Rating with controls | Action implementation |
|--------------------------------------|---|---|---------------------------|---|
| Staff Pupils Drivers Wider Community | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste Death | All drivers to remain in their vehicle and to follow instructions to set down area Ensure that all delivery transactions comply with physical distancing requirements Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate Appropriate sanitising arrangements at set down areas (for materials and stock) and at access and egress points. | Requires monitoring | Board of Management Principal Staff Delivery personnel |

St. Patrick's NS, Crowenstown, 2020